

according to Regulation (EC) No 1907/2006

HIGHTEC ANTIFREEZE (dunkelblau)

Revision date: 30.11.2021

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC ANTIFREEZE (dunkelblau)

UFI:

T72S-UKT1-J00V-401N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Radiator anti-freeze

1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone: e-mail: Internet: Responsible Department:	+49 (0)6241 5906-0 info@rowe-oil.com www.rowe-oil.com sdb@rowe-oil.com	Telefax: +49 (0)6241 5906-999
1.4. Emergency telephone number:	Giftnotruf Mainz (DE; E) +49 (0)6131-19240	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Acute toxicity: Acute Tox. 4 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - repeated exposure: STOT RE 2 Hazard Statements: Harmful if swallowed. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.

Warning

Rinse mouth.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

ethanediol; ethylene glycol

Signal word:

Pictograms:



Hazard statements

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
Precautionary sta	atements
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing

P301+P312

P330

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.



according to Regulation (EC) No 1907/2006

HIGHTEC ANTIFREEZE (dunkelblau)

Revision date: 30.11.2021		Page 2 of 9
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P314	Get medical advice/attention if you feel unwell.	
P501	Dispose of contents/container to Dispose of waste according to applicable legislation	

2.3. Other hazards

following inhalation: Vapour and mist concentrations above the allowable levels or unusually high concentrations may cause irritation to the nose and throat as well as headache, nausea and drowsiness. After skin contact: Brief contact with the product may cause slight skin irritation. Prolonged contact (e.g. through soaked clothing) may result in serious skin irritation with symptoms such as redness and swelling. Following eye contact: Conjunctival redness. after ingestion: Oral ingestion of small amounts causes kidney damage.

Caution if victim vomits: Risk of aspiration!

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification		•			
107-21-1	ethanediol; ethylene glycol			60 - <= 100 %		
	203-473-3	603-027-00-1	01-2119456816-28			
	Acute Tox. 4, STOT RE 2; H302 H	373				
3164-85-0	Potassium 2-ethylhexanoate			1 - < 2.5 %		
	221-625-7		01-2119980714-29			
	Repr. 2, Skin Irrit. 2, Eye Dam. 1; H	1361d H315 H318				
95193-83-2	1H-Indene-1,3(2H)-dione, 2-(2-quir	nolinyl)-, sulfonated, sodium salts		< 0.1 %		
	305-897-5		01-2120752822-53			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

Wash with plenty of water. Immediately remove any contaminated clothing, shoes or stockings. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No 1907/2006

HIGHTEC ANTIFREEZE (dunkelblau)

Revision date: 30.11.2021

Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Keep away from heat.

7.3. Specific end use(s)

Radiator anti-freeze

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Revision No: 1,17 - Replaces version: 1,16



according to Regulation (EC) No 1907/2006

HIGHTEC ANTIFREEZE (dunkelblau)

Revision date: 30.11.2021

Page 4 of 9

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
107-21-1	1,2-Dihydroxyethane, particulate	-	10		TWA (8 h)	

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid blue		
Odour:	characteristic		To of worth ord
			Test method
pH-Value (at 20 °C):		7,8 - 8,6 (50% in H2O)	
Changes in the physical state			
Melting point/freezing point:		No data available.	
Boiling point or initial boiling point and boiling range:		not determined	
Pour point:		-38 (50% in H2O °C	
:			DIN 51794
Flash point:		>100 °C	DIN 51758
Flammability			
Solid:		not applicable	
Gas:		not applicable	



Revision date: 30.11.2021

Safety Data Sheet

ROWE Mineralölwerk GmbH

according to Regulation (EC) No 1907/2006

HIGHTEC ANTIFREEZE (dunkelblau)

Page 5 of 9

·		
Explosive properties The product is not: Explosive.		
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Self-ignition temperature Solid: Gas:	not applicable not applicable	
Decomposition temperature:	not determined	
Oxidizing properties The product is not: oxidising.		
Vapour pressure: (at 20 °C)	<0,1 hPa	
Density (at 20 °C):	~ 1,12 g/cm³	DIN 51757
Water solubility:	completely miscible	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Viscosity / kinematic:		DIN 51562
Relative vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	0%	

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

ATEmix calculated

ATE (oral) 582,2 mg/kg



according to Regulation (EC) No 1907/2006

HIGHTEC ANTIFREEZE (dunkelblau)

Revision date: 30.11.2021

Page 6 of 9

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
107-21-1	ethanediol; ethylene glycol					
	oral	ATE mg/kg	500			
	dermal	LD50 mg/kg	10600	Rabbit	GESTIS	

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Further information

No special hazards known when the product is properly used and the precautionary measures indicated are observed.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
107-21-1	ethanediol; ethylene glycol						
	Acute fish toxicity	LC50 mg/l	18500		Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 7500 mg/l	6500-		Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	>10,000	48 h	Daphnia magna		

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-21-1	ethanediol; ethylene glycol	-1,34

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.



according to Regulation (EC) No 1907/2006

HIGHTEC ANTIFREEZE (dunkelblau)

Revision date: 30.11.2021

Page 7 of 9

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1.</u>	UN number:
<u>14.2.</u>	UN proper shipping name:
442	Transport bazard alass(as)

14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation
14.4. Packing group:	No dangerous good in sense of this transport regulation
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation
14.4. Packing group:	No dangerous good in sense of this transport regulation
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation
14.4. Packing group:	No dangerous good in sense of this transport regulation
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user	
No dangerous good in sense of this trar	nsport regulation.
14.7. Transport in bulk according to Annex II	of Marpol and the IBC Code
No dangerous good in sense of this trar	nsport regulation.
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulation	ations/legislation specific for the substance or mixture
EU regulatory information	
Restrictions on use (REACH, annex XVII):	
Entry 3	
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

National regulatory information



Page 8 of 9

according to Regulation (EC) No 1907/2006

HIGHTEC ANTIFREEZE (dunkelblau)

work protection guideline' (94/33/EC).

1 - slightly hazardous to water

Observe restrictions to employment for juveniles according to the 'juvenile

Revision date: 30.11.2021

Employment restrictions:

Water hazard class (D):

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 13.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Eye Irrit. 2; H319	Calculation method

Calculation method

STOT RE 2; H373



according to Regulation (EC) No 1907/2006

HIGHTEC ANTIFREEZE (dunkelblau)

Revision date: 30.11.2021

Page 9 of 9

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)